



**NEW BABY IMMUNISATIONS**

The UK immunisations have been revised in 2016 to include new vaccines. This is to give your child the best available protection against serious vaccine preventable diseases.

There are other vaccines that are equally beneficial but are not currently included in the UK routine schedule. Some are already included in the routine immunisation in other countries. These vaccinations are available in the UK on request and therefore it is worth discussing with me. The information underneath is to help you with making an informed choice.

Routine UK Vaccinations ■	Vaccinations	Date
■ Birth	<ul style="list-style-type: none"> <li>• BCG (London)</li> <li>• Hepatitis B<sup>1</sup> vaccine</li> </ul>	
4 Weeks (1 Month)	<ul style="list-style-type: none"> <li>• Hepatitis B<sup>2</sup> (2<sup>nd</sup> dose)</li> </ul>	
8 Weeks (2 Months) ■ ■	<ul style="list-style-type: none"> <li>• DTaP/IPV/Hib<sup>1</sup></li> <li>• Pneumococcal<sup>1</sup> conjugate vaccine (PCV)</li> </ul>	
10 Weeks (2½Months) ■	<ul style="list-style-type: none"> <li>• Rotavirus<sup>1</sup> 2 oral doses from the age of 6 week, 2<sup>nd</sup> dose at least 4 weeks later. <i>Could start at 3 months or 4 months as long as the 2<sup>nd</sup> dose is given before 20 weeks of age</i></li> </ul>	
12 Weeks (3 Months) ■	<ul style="list-style-type: none"> <li>• DTaP/IPV/Hib<sup>2</sup></li> </ul>	
■ 16 Weeks (4Months) ■	<ul style="list-style-type: none"> <li>• DTaP/IPV/HIB<sup>3</sup></li> <li>• Pneumococcal<sup>2</sup> conjugate Vaccine (PCV)</li> </ul>	
6 Months	<ul style="list-style-type: none"> <li>• Influenza (seasonal influenza &amp; 2<sup>nd</sup> dose in 4 weeks</li> <li>• Hepatitis B<sup>3</sup></li> </ul>	
12 Months ■ ■	<ul style="list-style-type: none"> <li>• Hib/ Meningitis C</li> <li>• Pneumococcal<sup>3</sup> conjugate</li> </ul>	
13 Months ■	<ul style="list-style-type: none"> <li>• MMR<sup>1</sup></li> <li>• Chickenpox<sup>1</sup> (Booster in year)</li> <li>• Hepatitis A<sup>1</sup> (A<sup>2</sup> in 6 months)</li> </ul>	
2 Years	<ul style="list-style-type: none"> <li>• One off pneumococcal polysaccharide vaccine (PPV)</li> </ul>	
3Years ■ ■	<ul style="list-style-type: none"> <li>• MMR<sup>2</sup></li> <li>• DTaP/IPV</li> </ul>	
■ Girls aged 12 to 13 years	<ul style="list-style-type: none"> <li>• Cervical cancer human papillomavirs (HPV)</li> </ul>	

13 years ■  
14 to 16 years ■

- Meningitis ACWY
- dT/IPV

--

--